

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AFOSR-TR- 83-0352



Noise The recomptry Measurements U

Artec Pinal Report 130176

WA 127945

Cando H



THE FILE COP

83 05 06 - 062

Noise Thermometry Measurements in Combustion Processes

Artec Final Report 13-176

Contract Number: F49620-81-C-0084

Artec Project: 13-176

S.P. Gill, W.L. Shimmin and J.D. Watson



Prepared for:

Air Force Office of Scientific Research Bolling Air Force Base Washington, D.C. 20332

Prepared by:

Acces	sion For	
NTIS	GRADI	Ø
DIIC S	TAB	/ []
Urane	o ume ed	
Just1	fication.	
F.,		
Distr	ibution/	
Avel	lability	Codes
	Avail au	d/or
Dist	Specia	l
1	1	
-1 V	1 1	

Artec Associates Incorporated 26046 Eden Landing Road Hayward, California 94545 Telephone: 415/785-8080



AIR FORCE OFFICE OF SCIENTIFIC RESERROR (AFSC This technical raport has been reviewed and i MOTICE OF TRANSMITTAL TO DTIC approved for public release IAN AFR 190-12. January 1983 approved for pullimited.

Chief, Technical Information Division MATTHEW J. KERPER

SECURITY CLASSIFICATION OF THIS PAGE (Then Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM.	
AROSR-TR- 83-0352	1. RECIPIENT'S CATALOS MUMBER	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED	
Noise Thermometry Measurements in	Final Report 1981Jun30-1982Jun29	
Combustion Processes	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(a)	6. CONTRACT OR GRANT NUMBER(*)	
S.P. Gill, W.L. Shimmin and J.D. Watson	F49620-81-C-0084	
PERFORMING ORGANIZATION NAME AND ADDRESS Artec Associates Incorporated	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
26046 Eden Landing Road	61102 F	
Hayward, CA 94545	3308/A3	
1. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE	
Air Force Office of Scientific Research	January 1983	
Bolling AFB, DC 20332	54	
14. HONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	18. SECURITY CLASS. (of this report)	
	Unclassified	
	18a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
6. DISTRIBUTION STATEMENT (of this Report)	<u> </u>	

with the multiplic release; with the multiplical control of the multiplical

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SJPPLEMENTARY NOTES

19. Kiy WORDS (Continue on reverse side if necessary and identify by block number)
Thermal noise
Johnson noise
Combustion temperature
Noise thermometry

DEXPERIENCE (Continue on review of the receivery and identify by block number)
Texperiments are described in which the temperature of combustion gases is measured by directly sensing the thermal noise emissions from the flowing gases. The temperatures measured by the noise thermometer are compared to reference thermocouple readings. Within the limitations of the reference thermocouple and the accuracy of the noise thermometer calibration standards, the temperature determined by direct noise thermometry appears to represent the true gas temperature and is uncomplicated by con-

DD . TORM 1473 EDITION OF 1 NOV 48 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (Then Date Entered)

UNCLASSIFIED

20. Abstract (Continued)

> taminating sources of electromagnetic noise.

UNCLASSIFIED

Table of Contents

				Page
1.0	Intr	oductio	on	. 3
	1.1	Backgi	cound	. 4
	1.2	Resear	cch Approach	. 6
	1.3	Resear	cch Objective	. 8
	1.4	Signi	Ficant Accomplishments	. 10
2.0	John	son No:	ise and Temperature	. 12
	2.1	Exper	iment Overview	. 15
	2.2	Measu	cement Technique	. 24
		2.2.1	Thermocouple Reference Temperature	. 24
		2.2.2	Impedance Matching Transformer	. 26
		2.2.3	Impedance and Noise Power Measurement System	. 28
		2.2.4	Measurement Sequence	. 30
	2.3	Data A	Analysis	. 32
		2.3.1	Response of Noise Thermometer to Cross Channel Flow Variation	. 32
		2.3.2	Correlation of Reference Temperature with Noise Temperature	. 35
3.0	Conc	luding	Remarks and Recommendations	. 40
Refe	rence	Q		42

Table of Appendices

	Pac	ge
Appendix 1.	Noise Thermometry Literature 1	. 1
	A. Early Work and Theory 1	. 1
	B. Developments on Immersed Probes 3	. 1
	C. Work on Direct Measurements 4	. 1
	D. Surveys and Summaries 5	. 1
	E. Symposia 6	. 1
Appendix 2.	Calculation of True Temperature, TA	
	From Measured Transformed	
	Temperature, T _B 1	. 2
Appendix 3.	Calculation of Temperature, T_{B}	
	From Measured Noise Power, Pg 1	. 3

List of Tables and Figures

		Page
Figure 1.	Elements of the Johnson Noise	
	Combustion Experiments	16
Figure 2.	Combustion Channel and Burner	18
Figure 3.	Detail of Thermocouple, Johnson Noise	
	Electrodes and Impedance Transformer	19
Figure 4.	Schematic of the Combustion Channel	20
Table 1.	Combustion Burner and Flow Channel	
	Data	22
Table 2.	Thermocouple and Noise Thermometer	
	Data	23
Figure 5.	Uncorrected Thermocouple Temperature	
	Distributions Across the Combustion	
	Channel	27
Figure 6.	Circuit Representation of Hot Gas With	
	a Distribution of Temperature and	
	Conductivity	33
Figure 7.	Correlation of Johnson Noise Temperature	
	With First-Order Corrected Thermocouple	е
	Temperature	36

List of Tabled and Figures (Continued)

		Page
Table 3.	Typical Noise Measurement System,	
	Calibration Source and Experimental	
	Data	38

1.0 Introduction

This is the final scientific report of a program to study the application of direct Johnson noise thermometry to temperature measurement in combustion processes and products.

If successful this approach can lead to a method of non-obtrusively measuring transient temperatures in optically thick and hostile environments. The method has the additional advantage that it is free from long term calibration drift due to sensor degradation in hot corrosive and radioactive environments.

The research reported herein was begun in July 1981 and completed in September 1982.

1.1 Background

Thermal noise or Johnson noise is the noise produced by thermal agitation of charges in a conductor. The available thermal noise power produced in a resistance is independent of the nature and the value of the resistance but is proportional to the absolute temperature and the frequency bandwidth over which the noise is measured. The measurements are thermodynamically correct even in the presence of particulate matter, flow velocity and high pressure.

Indirect or immersed probe noise thermometry is an established measurement technique and has found many industrial applications (References 1, 2 and 3). For example noise thermometry is used in the nuclear industry to measure liquid metal temperatures to within a kelvin by immersing a sheathed conductor in the molten flow. The main advantage of this technique is its insensitivity to radioactive transmutation of the probe materials. These measurements are made at frequencies of less than 100 kHz and are limited in their time response by the thermal inertia of the probe.

The Soviets report direct temperature measurements of acetylene-oxygen combustion flows made in the 5 to 30 MHz frequency range (Reference 4). They describe a method

of making selective measurements of temperature in different but indeterminable locations of a non-uniform plasma by varying the working frequency of their capacitively coupled noise thermometer.

In a previous program (Reference 5), Artec Associates has reported on experiments to measure the temperature of a hot quiescent gas using direct Johnson noise thermometry. Working in the 20 MHz frequency range, temperatures up to 1600 K were measured and correlated to within 1% of a thermocouple standard.

A survey of noise thermometry literature is presented in Appendix 1. This survey includes papers on the theory of thermal noise, research on the measurement of temperature by noise thermometry, and applications of both direct and indirect noise thermometry.

1.2 Research Approach

In the present program, Artec Associates extended its approach to evaluate noise thermometry in an environment of flowing combustion gases where the complications of reaction chemistry, non-uniform flow property distributions and wall effects are present.

Artec's method is to use direct noise thermometry in which the noise emissions from the hot gas itself are used to determine temperature. This is contrasted to indirect noise thermometry in which the noise emissions of a resistive element of a probe immersed in the flow are sensed. The upper limit of the direct approach is believed to be determined by the electromagnetic skin depth of the gas or plasma and is considerably higher than that imposed by material survivability considerations.

A further advantage of direct noise thermometry is that transient temperature measurements can be made. The limit to time resolution is determined by the working frequency of the noise thermometer and by noise power sensor requirements. In practice working frequency is limited to about 50 MHz by measurement difficulties associated with stray capacitances. An accurate power measurement requires about 100 cycles of signal. Thus a practical

limit on time resolution is about 1 microsecond.

The Soviet measurements referred to in Section 1.1 were made using a method they describe as a contactless capacitive converter. It is a direct measure of noise temperature similar to Artec's approach but differing in the measurement technique. By measuring the 'Q' of their circuit with and without the combustion source, they obtain the real part of the source impedance. They then measure rms noise voltage with a high impedance microvoltmeter.

Alternately Artec has chosen to measure the impedance magnitude and phase of the combustion source directly and then to measure the noise power using a power sensor.

1.3 Research Objectives

The objectives of this research were to delimit the range of conditions within which Johnson noise thermometry can be applied to combustion processes and other high temperature gasdynamic environments and to identify the physical and chemical phenomena that may affect the practicality or accuracy of such measurements.

Specific goals of this research included:

- * measure the highest possible combustion temperatures and the lowest possible combustion product temperatures using direct noise thermometry and correlate these to a reference standard.
- * determine whether other sources of electronic noise such as electrode contact noise and noise from ongoing chemical reactions contaminate the thermal noise emissions from the gas thereby complicating or invalidating the temperature determination.
- * evaluate the response of direct noise thermometry to temperature and electrical conductivity distributions within the plasma between the sensing electrodes. This includes boundary layer distri-

butions and conductivity variations within zones of chemical reactions.

1.4 Significant Accomplishments

In the experiments, a torch body affixed with a gas burner tip was used to generate a combustion flow down a thick alumina brick channel of square cross-section. Separate and independent temperature measurements were made using a contact electrode Johnson noise thermometer and a sheathed thermocouple for reference. Analysis of all of the data have indicated that this experimental arrangement was marginal primarily because of radiation effects limiting the accuracy of the reference thermocouple.

Nevertheless several accomplishments resulted from this work. These are:

- Johnson noise thermometer in the 1500 K to 2100 K range in both methane-oxygen and propane oxygen combustion processes. The Johnson noise temperatures fell within 6% of the temperatures independently determined by the reference thermocouple. A major source of the discrepancy is attributed to thermocouple radiation losses to the cooler channel walls.
- * within the limits of the correlation no contaminating sources of noise were found to complicate or invalidate the noise thermometry measurements

at working frequencies around 10 to 15 MHz.

- * the predicted response of the noise thermometer with electrode separation in a temperature distribution was verified.
- * it was demonstrated that noise thermometer temperature measurements are not sensitive to distortion, melting or corrosion of the sensing electrodes.
- * major sources of noise thermometry inaccuracy were identified as calibration inaccuracies of the noise measurement electronics and calibration standards.
- * the impedance matching transformer was identified as a potentially limiting component in a combustion environment of widely varying electrical conductivity.

2.0 Johnson Noise and Temperature

Thermal or Johnson noise in conductors is a well known physical phenomena and is dealt with extensively in the scientific literature. A representative survey of this literature is given in Appendix 1.

In its most general form it is shown that the fluctuating emf emitted by a linear passive network at temperature T depends only on the real part of the network impedance

$$\overline{\mathbf{v}_{\mathbf{S}}^2} = 4kT \, R_{\mathbf{e}} (\mathbf{Z}_{\mathbf{S}}) \, \Delta \mathbf{f} \tag{1}$$

The equivalent circuit of a resistance is a thermal noise source of fluctuating voltage, $v_{\rm S}$ in series with an ideal noise free impedance, $Z_{\rm S}$. For a given amplifier input impedance $Z_{\rm L}$ (assumed for now to be noise free) the thermal noise power appearing at the amplifier input is

$$P_{L} = \frac{V_{L}}{Z_{L}} = 4kT\Delta f \frac{R_{e}(Z_{s})R_{e}(Z_{L})}{|Z_{s} + Z_{L}|^{2}}$$
(2)

In flow experiments such as reported herein, temperature and electrical conductivity can vary across the channel. The flow can be electrically characterized by a distribution of ideal noise voltages, noise free re-

sistances and parallel capacitances. The real part of the interelectrode impedance which is used to compute the rms noise voltage is frequency dependent and given by

$$R_{e}(Z_{s}) = \int \phi(y) dy$$

$$= \int \frac{R(y)}{1 + \omega^2 C(y)^2 R(y)^2} dy$$
 (3)

where R(y) = resistance

C(y) = capacitance

ω = angular frequency 2πf

The noise temperature calculated from $\overline{v}_{\text{S}}^{2}$ is given by

$$T_{S} = \frac{\int T(y) \phi(y) dy}{\int \phi(y) dy}$$
 (4)

The calculated temperature is thus a resistance weighted average.

Regions in the gas between the sensing electrodes that are at different temperature and electrical conductivity will dominate the thermal noise spectrum at frequencies that maximize their contribution to the real part of the circuit impedance. Regions of non-uniform temperature can therefore be detected by varying the working frequency of

the noise thermometer. However the spatial location and/ or distribution of these regions cannot be easily specified.


2.1 Experiment Overview

The elements of the experiment are shown schematically in Figure 1. The combustion source is a torch body and gas burner tip. A thick wall alumina brick channel of square cross-section (26mm by 26mm) directs the combustion flow past the temperature measurement stations.

An alumina sheathed tungsten-rhenium thermocouple is mounted such that its element can measure centerline temperature or traverse the channel for temperature distribution. Thermocouple temperature readings are made using a digital voltmeter and are corrected for ambient temperature. Survivability of the thermocouple sheath in the combustion flow limited the maximum temperatures that data could be taken to just over 2100 K.

A pair of 50mm by 25mm Inconel electrodes that sense the thermal noise emissions are mounted 25mm downstream of the thermocouple station. The electrode separation is adjustable and the electrodes can be retracted to be flush with the channel walls.

The electrodes are attached directly to an impedance transformer that approximately matches the several thousand ohm combustion gas impedance to the 50 ohm noise



2.4

Figure 1. Elements of the Johnson Noise Combustion Experiments

1455

measurement apparatus. The purpose of the transformer is to maintain reasonably efficient power transfer.


Small residual impedance mismatches are fully accounted for in the data handling procedures.


The output of the transformer is connected directly to the noise measurement electronics which measure both the transformed interelectrode impedance and the transformed noise power. The measurement system can also be switched to view a number of calibrated impedances at known temperatures.

The combustion gas temperature is determined by an analysis of the measured combustion gas impedance, noise power and calibration data. The only assumption made in the analysis is that the impedance transformer and noise measurement apparatus behave linearly. This assumption has been experimentally verified.

The entire experimental apparatus was housed in an electromagnetically quiet room (a Faraday cage of copper screen) to minimize outside sources of contaminating noise in the megahertz frequency range.


The experimental apparatus is shown in Figures 2 and 3 and the channel layout is depicted schematically in Figure 4. The relevant specifications and dimensions of the





Detail of Thermocouple, Johnson Noise Electrodes and Impedance Transformer Figure 3.

STREET STREET






Figure 4. Schematic of the Combustion Channel

1456

- PARTER AND TO

burner, channel, reference thermocouple and Johnson noise electrodes are given in Tables 1 and 2.

the state of the s

Burner

Harris 43-2 torch body with oxy-natural gas or oxy-propane multi-flame heating tip. Operated with neutral flame.

Burner Tip	Flow Rate	Gas
	$m^3/s(x10^3)$	
	O ₂ Gas	
Harris 2290-2H	1.73 .43	propane or methane
Harris 2290-3H	5.03 1.26	propane or methane

Channel

Inside Dimensions: 26mm by 26mm

Outside Dimensions: 83mm by 83mm

Material: Purotab Coarse

As cast density: 2630 kg/m^3

Thermal conductivity: 1.4 watts/m-K

Maximum working temperature: 2150 K

Combustion Burner and Flow Channel Data

Table 1

LANGE TO LEAD TO THE TO

Thermocouple

Standard NANOPAK high temperature thermocouple probe ungrounded thermal junction with closed end alumina sheath

Element: Tungsten 5% Rhenium/Tungsten 26% Rhenium

Sheath: Alumina 3mm dia x 76mm long

Upper Working Temperature: 2170 K

Lead Wire: NANMAC Alloy 405 - Alloy 426 ISA type W5X

Readout: Fluke 8050A digital voltmeter

NANMAC thermocouple tables

corrected for room temperature

Noise Thermometer

Electrodes: 50mm by 25mm by 1.59mm

Leads: 1.59mm dia

Material: Inconel 600

Separation: 0 to 26mm

Thermocouple and Noise Thermometer Data

Table 2

2.2 Measurement Technique

2.2.1 Thermocouple Reference Temperature

In the experiments to correlate noise temperature with a known reference, an alumina sheathed tungstenrhenium thermocouple was positioned 25mm upstream of the
Johnson noise electrodes with the thermocouple element
positioned on the channel centerline. The position of
the burner tip varied between .5m and .3m upstream of
the thermocouple element during the experiments. The
thermocouple positioning is illustrated schematically
in Figure 4. The important thermocouple specifications
and dimensions are given in Table 2.

When a thermocouple reference temperature was read, the flow and thermocouple were allowed to come to equilibrium. Equilibrium conditions were considered established when both the thermocouple reading and the flow impedance readings fluctuated randomly about a mean for a period of at least 30 seconds.

An order of magnitude estimate was made of thermocouple error. The thermocouple was modeled as a spherical element at the center of a spherical shell of sheath material but separated from the sheath by an air gap. The heat balance included conduction losses down the thermo-

· STATE CHANGE

couple leads, radiation losses from the sheath to the channel walls, radiation gain by the sheath from the burner tip and convective heat transfer from the gas flow to the sheath. Wall temperature was determined by a heat balance between convective heat transfer from the gas flow and conduction losses through the wall.

The analysis indicated that the apparent thermocouple reading is about 7% lower than the core flow temperature at the highest conditions encountered in the experiments and about 4% lower at the lowest conditions. Most of this error is from radiation losses from the thermocouple sheath to the cooler channel walls.

The channel walls were cast from Purotab Coarse alumina mortar (Reference 6) having a cast density of 2630 kg/m³. The thermal conductivity of this alumina brick is 1.4 watt/m-K which is 16 times less than that of theoretical density alumina. The combination of the thick channel walls and the relatively low thermal conductivity of the brick allowed the inside channel wall temperature to remain high and minimized thermocouple radiation losses to the walls.

The thermocouple was used to measure a temperature distribution across the channel. Uncorrected distributions representative of the experiments are shown in

- THE TELEVISION OF


Figure 5. The measured temperature near the wall is in substantial agreement with the computed temperature based on the heat balance analysis of the flow and the channel walls.

2.2.2 Impedance Matching Transformer

For efficient power transfer from the high impedance gas to the 50 ohm input of the noise measurement system, a transmission line impedance matching transformer was built to convert source impedances in the 2000 to 10,000 ohm range. The optimum working frequency of this design is centered at 10.7 MHz. The transformer was housed in a metallic grounding cage to isolate it from stray capacitance.

The transformer is a passive linear network and can be represented by a set of linear equations. Known resistive sources are affixed to the high impedance transformer input and the output impedances measured. The vector coefficients of the linear equations are determined by a least squares fit to the data. The true source temperature T_A is related to the apparent temperature T_B at the transformer output by a relation of the form

$$T_{A} = f_{1}(Z_{B})T_{B} \tag{5}$$



Uncorrected Thermocouple Temperature Distributions Across The Combustion Channel Figure 5.

ーナインのないないと

where f_1 is a vector function of the measured transformer output impedance Z_B . The function f_1 represents the power loss of the transformer and is of the order of 5 to 15% for the present experiments. Relation (5) is derived in Appendix 2.

The transformer used in the present experiments worked well when limited to its design frequency of 10.7 MHz. In future work, broad band video impedance matching transformers could be designed to permit efficient operation over a range of working frequencies.

2.2.3 Impedance and Noise Power Measurement System

A vector impedance meter was used to measure the magnitude and phase of the apparent source impedance at the transformer output. This instrument was also used to determine the impedances of the standard sources used for calibration and the input/output impedances of the low noise amplifiers. All measurements were made at the working frequency of 10.7 MHz. The accuracy of these measurements was limited by the ability to read the meter movement and by the stray capacitance limit of the vector impedance meter probe tip.

The noise power appearing at the transformer output is amplified by two 50 ohm low noise amplifiers with a

A STATE OF THE STA

total gain of 88 dB. The signal is passed through a bandwidth filter of either .3, 1 or 3 MHz which in these experiments was provided by a spectrum analyzer mainframe. The filtered signal was then input into a noise power sensor which was monitored by a noise power meter with meter movement.

The noise measuring system is an active linear network (verified by experiments) and can be represented as a set of linear equations. The apparent temperature of the source at the output of the transformer and input of the amplifiers is related to the power, $P_{\rm C}$, measured by the power sensor by a relation of the form

$$T_B = f_2(Z_B)[P_C + f_3(Z_B)]$$
 (6)

where f_2 and f_3 are vector functions of the source impedance $Z_{\mbox{\footnotesize{B}}}$ and various amplifier constants.

The function f_2 accounts for the gain of the amplifier and the impedance difference between source and amplifier inputs. The function f_3 accounts for internal amplifier noise and for amplifier front end noise reflected back by the source-amplifier mismatch. This is a relatively small correction but important for proper amplifier calibration. Relation (6) is derived in Appendix 3.

THE RESERVE

The noise measuring system as characterized by relation (6) is calibrated by measuring noise power of several sources of known impedance and temperature.

These include room temperature resistive, capacitive and inductive elements, an open and a short circuit element and a commercial calibrated white noise source. The white noise source used in these experiments has a temperature equivalent of 10,480 K ± 700 K and provides the primary means of determining the overall gain of the low noise amplifier.

2.2.4 Measurement Sequence

Prior to each data run, the vector impedance meter and power meter are initialized to specifications and the bandpass filter centering frequency is accurately set. The impedances and noise powers of the calibration sources are then measured.

For each data point in the run, the channel flow is allowed to reach equilibrium for at least 30 seconds as determined by both thermocouple and flow impedance measurements. Thermocouple and impedance measurements are made. Then the noise power at the transformer output is measured. The thermocouple and impedance measurements are then re-read.

~ > 1 TENESTIME 1.5

when developed into a working temperature measurement system, this calibration and measurement procedure can be readily automated under computer control. Measurement of both noise power and interelectrode impedance guarantees that the calculated temperature is independent of the physical condition of the electrodes in the combustion environment. Long term calibration drift is then determined by straightforward electronic measurements.

and the state of the

2.3 Data Analysis

2.3.1 Response of Noise Thermometer to Cross Channel Flow Variation

In early experiments, the noise thermometer electrodes were recessed in the channel walls and therefore measured a resistance-averaged temperature between the electrodes. Temperatures so measured fell considerably below the temperature measured by the reference thermocouple.

A thermocouple traverse of the channel indicated a substantial variation of temperature from the cooler walls to the hot core flow as shown in Figure 5.

The response of the noise thermometer to temperature and electrical conductivity variation between the sensing electrodes was modeled in a computer program. The gas between the electrodes was conceptually divided into many zones whose properties were assumed constant. Each zone was modeled by an ideal voltage source in series with a noise free resistance and in parallel with the capacitance of free space (Figure 6). This is the digitized representation of relations (3) and (4).

Calculations were made using the measured tempera-

THE THE WAY




Figure 6. Circuit Representation of Hot Gas With a Distribution of Temperature and Conductivity

STORES AND A

ture distribution. Electrical conductivity was assumed to vary with temperature according to an Arrhenius relation of the form

$$\sigma = k_1 e^{k_2 T} \tag{7}$$

where T is the temperature and σ is the electrical conductivity. The constants k_1 and k_2 were estimated from methane-air combustion data (Reference 7).

These calculations could not reproduce the observed variation of measured temperature with electrode separation. It was soon realized that the electrical conductivity of the combustion flow was being dominated by alumina contamination from the hot channel walls. This was confirmed by observing the interelectrode resistance under constant combustion conditions. Measured resistance approached ten thousand ohms when the walls were cool and decreased to a few thousand ohms as the wall temperature equilibrated.

To relate a resistance averaged temperature to the peak core flow temperature where the noise thermometer reading was taken, it would be necessary to measure interelectrode resistance variation across the channel for each data point. To circumvent this, the noise thermometer sensing electrodes were moved to a 10mm

San Carried State of the

separation in the center of the channel. Here the temperature and conductivity variation was small and the resistance averaged temperature and peak core flow temperature were nearly identical. This electrode separation was used in all the data reported herein.

2.3.2 Correlation of Reference Temperature with Noise Temperature

The data presented in this section are from four runs with methane-oxygen and one run with propane-oxygen. These data cover a temperature range of 1500 K to 2100 K and are presented in Figure 7. The data are plotted against corresponding reference thermocouple measurements that have been adjusted upwards as a first order correction from the heat balance of the thermocouple element with its surroundings. The correction applied varies linearly from 4% at 1500 K to 7% at 2000 K.

It is emphasized that each data point represents a noise thermometer and thermocouple measurement which are taken totally independently of one another but are taken at essentially the same time under the same conditions.

The propane-oxygen data is offset from the methaneoxygen data in Figure 7 and this is tentatively attributed

Standard Co.




Figure 7. Correlation of Johnson Noise Temperature With First-Order Corrected Thermocouple Temperature

to differences in the estimated thermocouple correction.

The corrected thermocouple readings are estimated to be within ±3% of true temperature. Most of this error arises from the assumptions and estimates made in the heat balance to determine the thermocouple correction.

The amplifier constants and calibrated source characteristics used in the calculation of noise temperature are the same for all runs. They were chosen to give the best overall fit of data within the manufacturers specified accuracy. The values used are given in Table 3 along with other experimental conditions.

The noise temperature data are estimated to be within ±5% of true temperature. A major source of this discrepancy arises from the accuracy to which the calibrated noise source is known. Manufacturers specification is 10480 K ± 700 K. This calibrated source along with the other room temperature calibration sources are the primary means of determining the gain of the noise measurement system. The tolerance of the white noise source can be tightened to ±200 K with special calibration procedures.

A second major source of error are the readings of the meter movements of the vector impedance meter and

THE PERSON NAMED IN COLUMN TWO

Other	Electrode Sepa	ency 10.	
Noise Measurement System	$\Delta f = .3 \text{ MHz}$ $G = 93.2 \text{ d}$ $T_L = 148 \text{ K}$ $P_a = 4.35 \mu$ A/Z_T	low noise am	y measured apparent plifier temperature)
Calibration Source	50 ohm 75 ohm 600 ohm Short cct Open cct Capacitive Inductive Calibration Noise Source	51 76.3 593 0 10 ⁶ 185 -	1 0 -14 0 0 -90 -
Impedance Transformer	- a ₁₁ a ₂₂ -a ₁₂ ²	79.3 40.3 2.78×10 ⁵	90.3 -81.5 7.0

Typical Noise Measurement System,

Calibration Source and Experimental Data

Table 3

- - - A SECULATION OF

power meter. When the meters are carefully adjusted to specifications they can be read to within 1%. In the present experiments, however, the meters fluctuated as much as 5% about a mean as a result of combustion flow variations. When these fluctuations persisted several readings were taken and averaged.

3.0 Concluding Remarks and Recommendations

Within the limitations of the reference thermocouple and the Johnson noise impedance matching transformer, these experiments demonstrated that direct Johnson noise thermometry can be used to measure temperature in combustion processes. The temperatures measured by the Johnson noise thermometer are estimated to be within ±5% of the true temperature. The experiments should be extended with the following improvements

- * include a broad band impedance matching transformer to permit a wider range of working frequencies (for example 500 kHz to 50 MHz).
- * use of a reference thermocouple that minimizes sheath radiation losses to the walls and conduction losses in the lead wires.
- * thicker channel walls to reduce temperature gradients across the channel.
- * use of more Johnson noise calibration sources with higher calibration tolerances.
- * automatic readout of thermocouple, Johnson noise power and impedance to minimize errors arising

from flow fluctuations.

With the above improvements the Johnson noise and thermocouple temperatures are expected to be within ±2% of true temperature in the absence of contaminating sources of noise which would affect the noise thermometer readings.

The ultimate objective of our research with direct noise thermometry is to make transient temperature measurements in hostile environments such as shock tubes and gun barrels. Artec believes that transient temperature measurements can be made using the following methods.

- * use of a broad band impedance matching transformer.
- * oscilloscope readout of the output of a Schottky diode noise power sensor.
- * determination of transient impedance by use of a low amplitude, high frequency current source and by monitoring voltage across the electrodes.

 This would be done either at a slightly different frequency or alternately by fast switching with the noise power measurements.

References

- 1. H. Brixy, R. Hecker and Th. Overhoff, "Proceedings of the Symposium on Nuclear Power Plants Control and Instrumentation," International Atomic Energy Agency Report No. IAEA/SM-168/F-1, Prague, (1973).
- Proceedings of the 1977 Symposium on Instrumentation and Process Control for Fossil Demonstration Plants, Chicago, IL, July 1977.
- 3. Proceedings of the Sixth International Symposium on Temperature, Washington, D.C., March 1982.
- 4. Yu. S. Ivashchenko, Yu. G. Korobchencko, T.S. Bondarenko, "Measurement of the Noise Temperature of a Plasma of Combustion Products Using a Contactless Capacitive Converter," Siberian Institute of Technology, Krasnoyarsk, USSR, December 1976.
- 5. D.W. Baum, S.P. Gill, W.L. Shimmin and J.D. Watson, "Thermal Noise Emissions From a Hot Gas," Artec Associates Final Report 153, Navy Contract N00014-80-C-0529, March 1981.
- 6. Kaiser Refractories KR-199-R, 1979.
- 7. G.W. Sutton, A. Sherman, "Engineering Magnetohydrodynamics," McGraw Hill, 1965.

Appendix 1. Noise Thermometry Literature

A. Early Work and Theory

- J.B. Johnson, "Thermal Agitation of Electricity in Conductors," Phys. Rev. 32, 97, 1928.
- 2. H. Nyquist, "Thermal Agitation of Electric Charge in Conductors," Phys. Rev. 32, 110, 1928.
- 3. D.A. Wilbur, "Thermal Agitation of Electricity in Conductors," Dissertation, U. of Mich., 1932.
- 4. F.C. Williams, "Thermal Fluctuations in Complex Networks," J. IEE 81, 751, 1937.
- F.C. Williams, "Coexistent Thermal and Thermionic Fluctuations in Complex Networks," J. IEE 82,76, 1938.
- 6. S.O. Rice, "Mathematical Analysis of Random Noise," Bell Sys. Tech. J. 23, 282, 1944.
- 7. J.B. Garrison and A.W. Lawson, "An Absolute Noise Thermometer for High Temperatures and High Pressures," Rev. Sci. Instrum. 20, 785, 1949.
- J.L. Lawson and G.E. Uhlenbeck, "Threshold Signals," MIT Radiation Laboratory Series, McGraw-Hill, 1950.
- H.B. Callen and T.A. Welton, "Irreversibility and Generalized Noise," Phys. Rev., Vol. 83, pp. 34-40, 1 July 1951.
- 10. Van der Ziel, "Noise," Englewood Cliffs, NJ, Prentice-Hall, chaps. 12, 13, 1954.
- 11. E.W. Hogue, "Factors Affecting the Precision and Accuracy of an Absolute Noise Thermometer," NBS Report 3471, 1954.
- 12. H. Pursey and E.C. Pyatt, "Measurement of Equivalent Noise Resistance of a Noise Thermometry Amplifier," J. Sci. Instrum. 36, 260, 1959.
- 13. H.J. Fink, "A New Absolute Noise Thermometer at Low Temperature," Can. J. Phys. 37, 1397, 1959.
- 14. L. Crovini, "Absolute Temperature Measurement by Means of Thermal Noise," La Ricenca Scientifica 37, (12), 1238, 1967.

15. L. Storm, Z. Angew Phys. 28,331, 1970.

B. Developments on Immersed Probes

- A. Actis, A. Cibrario and L. Crovini, "Methods of Noise Thermometry Above 400°C," Temperature, Its Measurement and Control in Science and Industry, Instrument Society of America, Vol. IV(1), 355, 1972.
- H. Brixy, R. Hecker and Th. Overhoff, "Proceedings of the Symposium on Nuclear Power Plants Control and Instrumentation," International Atomic Energy Agency Report No. IAEA/SM-168/F-1, Prague, 1973.
- C.J. Borkowski, R.V. Blalock, "A New Method of Johnson Noise Thermometry," Rev. Sci. Instrum., Vol. 45, No. 2, February 1974.
- 4. L. Crovini and A. Actis, "Systematic Errors in High Temperature Noise Thermometry," Temperature Measurement (Eds., B.F. Billings and T.J. Quinn) Inst. Phys. Cont. Ser. 26, 398, 1975.
- 5. M.G. Pepper, J.B. Brown, "Absolute High-Temperature Johnson Noise Thermometry," J. Phys. E. Sci. Instrum., Vol. 12, no. 1, January 1979.
- 6. M. Decreton, L. Binard, C. Delrez, W. Hevel, W. Schubert, "High Temperatue Measurements by Noise Thermometry," High Temperature-High Pressures, Vol. 12, no. 4, 1980.

C. Work on Direct Measurements

- Yu. S. Ivaschenko, Yu. G. Korobchencko, T.S. Bondarenko, "Measurement of the Noise Temperature of a Plasma of Combustion Products Using a Contactless Capacitive Converter," Siberian Institute of Technology, Krasnoyarsk, USSR, December 1976.
- D.W. Baum, S.P. Gill, W.L. Shimmin and J.D. Watson, "Thermal Noise Emissions From a Hot Gas," Artec Associates Final Report 153, Navy Contract N00014-80-C-0529, March 1981.
- S.P. Gill, W.L. Shimmin and J.D. Watson, "Noise Thermometry Measurements in Combustion Processes," Artec Associates Final Report 176, AFOSR Contract No. F49620-81-C-0084, January 1983.

D. Surveys and Summaries

- R.A. Kamper, "Survey of Noise Thermometry," Temperature, Its Measurement and Control in Science and Industry, Instrument Society of America, Vol. IV(1), 349, 1972.
- T.V. Blalock, R.L. Shepard, "Survey, Applications, and Prospects of Johnson Noise Thermometry," International Symposium on Noise in Physical Systems, Washington, D.C., April 1981.
- M.S. Gupta, "Thermal Noise in Nonlinear Resistive Devices and its Circuit Representation," Proc. I.E.E.E., Vol. 70, no. 8, August 1982.


E. Symposia

- 1. Temperature, Its Measurement and Control in Science and Industry, Vol. IV, ed. H.H. Plumb, (Washington-Instrument Society of America) 1972.
- 2. Symposium on Nuclear Power Plants Control and Instrumentation, International Atomic Energy Agency Report No. IAEA/SM-168-F-1, Vienna, 1973.
- 3. International High Temperature In-Pile Thermometry Colloquium, Petten, The Netherland, December 1974.
- 4. Temperature Measurement 1975, Institute of Physics Conference Series, Vol. 26, ed. B.F. Billing, T.J. Quinn, (London and Bristol: Institute of Physics), 1975.
- 5. 1977 Symposium on Instrumentation and Process Control for Fossil Demonstration Plants, Chicago, July 1977.
- 6. Sixth International Symposium on Noise in Physical Systems, April 1981.
- 7. Sixth International Symposium on Temperature: Its Measurement and Control in Science and Industry, March 1982.

TOTAL PROPERTY.

Appendix 2. Calculation of True Temperature, $T_{\hbox{\scriptsize A}}$ From Measured Transformed Temperature, $T_{\hbox{\scriptsize B}}$

The impedance matching transformer is represented as a linear passive network



$$v_1 = a_{11}I_1 + a_{12}I_2$$

$$v_2 = a_{21}I_1 + a_{22}I_2$$

The output impedance \mathbf{Z}_{B} can be expressed in terms of the input impedance and transfer coefficients

as
$$Z_B = a_{22} - \frac{a_{12}a_{21}}{Z_{A}-a_{11}}$$

or
$$Z_A = -a_{11} - \frac{a_{12}a_{21}}{Z_B - a_{22}}$$

where $a_{12}=a_{21}$ by Kirchoff's Reciprocity Theorem

also
$$v_1 = v_A - 2_A I_1$$

using $v_2 = a_{21}I_1 + a_{22}I_2$

so
$$v_2 = \frac{a_{21}}{Z_A + a_{11}} v_A + Z_B I_2 = v_B + Z_B I_2$$

thus
$$v_B = \frac{a_{21}}{Z_A + a_{11}} v_A$$

using $v_A^2 = 4R_A kT_A \Delta f$ where $k = Boltzmann's constant <math>\Delta f = bandwidth$

$$v_{B}^{2} = \left| \frac{a_{21}}{2_{A} + a_{11}} \right|^{2} 4R_{A}kT_{A}\Delta f$$

using
$$Z_B = a_{22} - \frac{a_{12}a_{21}}{Z_A + a_1}$$

and noting that $R_A = R_e \left[-a_{11} - \frac{a_{12}^2}{Z_B + a_{22}} \right]$

$$v_{B}^{2} = \left| \frac{z_{B-a_{22}}}{a_{12}} \right|^{2} 4Re \left[-a_{11} - \frac{a_{12}}{z_{B-a_{22}}} \right]$$

 $= 4R_BkT_BB$

Rearranging


$$T_{A} = T_{B} \left\{ \frac{(a_{12})^{2} Re(Z_{B})}{Re[-a_{11}|Z_{B}-a_{22}|^{2}-a_{12}^{2}(Z_{B}-a_{22})^{*}]} \right\}$$

which is of the form

$$T_A = f_1(Z_B)T_B$$

Appendix 3. Calculation of Temperature, \mathbf{T}_{B} From Measured Noise Power, \mathbf{P}_{C}

The noise measurement system is represented as a linear active network



$$v_1 = a_{11}I_1 + a_{12}I_2 + a_{13}$$

 $v_2 = a_{21}I_1 + a_{22}I_2 + a_{23}$

the power meter is a constant load therefore

$$I_2 = \frac{v_2}{R_C}$$

 v_1 is independent of I_2 by experiment therefore

$$a_{12} = 0$$

rewrite as
$$v_1 = Z_L I_1 + v_L$$

$$v_2 = Z_T I_1 + Av_L + v_A$$

where
$$Z_L = a_{11}$$

$$v_L = a_{13}$$

$$Z_{\mathbf{T}} = \left[\frac{a_{21}}{1 - \frac{a_{22}}{R_{\mathbf{C}}}}\right]$$

$$Av_L + v_a = \frac{a_{23}}{\left[1 - \frac{a_{22}}{R_C}\right]}$$

$$I_1 = \frac{v_{B} - v_L}{z_{B} + z_L}$$

$$P_C = \frac{\overline{v}_2^2}{R_C}$$
 and $\overline{v}_B^2 = 4R_BkT_B\Delta f$
 $\overline{v}_L^2 = 4R_LkT_L\Delta f$

$$P_{C} = \frac{4R_{B}kT_{B}\Delta f}{R_{C}} \left| \frac{Z_{T}}{Z_{B}+Z_{T}} \right|^{2} + \frac{4R_{L}kT_{L}\Delta f}{R_{C}} \left| \frac{Z_{T}}{Z_{B}+Z_{L}} - A \right|^{2} + \frac{\overline{v}a^{2}}{R_{C}}$$

set
$$G = \frac{\left|Z_{T}\right|^{2}}{R_{C}R_{L}}$$
 and $P_{a} = \frac{\overline{v}_{a}^{2}}{R_{C}}$

$$P_{C} = \frac{4R_{B}R_{L}kT_{B}\Delta fG}{|Z_{B}+Z_{L}|^{2}} + 4R_{L}^{2}kT_{L}\Delta fG \left| \frac{1}{Z_{B}+Z_{L}} - \frac{A}{Z_{T}} \right|^{2} + P_{a}$$

which is of the form

$$T_B = f_2(z_B)[P_C + f_3(z_B)]$$